



B120 & B125

EVAPORATION HUMIDIFIERS

Healthy and value-
conserving indoor climate
through air humidification!





B120 & B125

EVAPORATION HUMIDIFIER

The compact humidifiers from BRUNE!

With the **B 120** and **B 125** models, BRUNE presents its compact all-rounders. Both devices are delivered ready to plug in and impress with their pleasantly quiet and energy-efficient operation. Their low weight enables easy transport and their generous water capacity of over 10 litres makes them ideal for continuous use.

Using the natural principle of evaporation, excess humidity, precipitation or lime deposits are prevented from forming on fixtures and furnishings.

The air is conducted through the evaporation filter, humidified and additionally cleaned of any coarse dust particles. In this way, the **B 120** and **B 125** humidifiers not only protect valuable furnishings from dry air, they also provide physical well-being in the living, working and office areas.

Through their compact sizes and in connection with the external hygrostat by BRUNE, the **B 120** and the **B 125** are ideally suited for use and installation in glass cases, sales counters, cabinets and humidors.



& B125



B120, *reliable and convenient!*

With its intelligent modular construction, it is simple and easy to handle and provides living and office spaces of up to 130 m³ with pleasant humidity. The evaporation humidifier is also an ingenious partner for rooms of up to 6 m³ for the professional storage of tobacco (70% rel. humidity).

The water level display is located on the front of the B 120 and the ON/OFF switch as well as the water filling flap are on the top.

It is thus well suited for use in glass cases, sales counters, cabinets and humidors.



B125, *powerful and quiet!*

For rooms up to a max. of 140 m³, the B 125 provides the perfect humidity and fits into any ambience with its appealing design.

In contrast to the B 120, there is a water level display on the top of the B 125 and the water filling flap as well as the ON/OFF switch is located on the side of the humidifier.

TECHNICAL DATA *B120 & B125*

	B 120	B 125
TYPE OF CONSTRUCTION		
Colour housing:	white / black	white
Housing:	plastic	plastic
Dimensions (W x H x D):	46.6 cm x 29.1 cm x 27 cm	45 cm x 28.5 cm x 29.8 cm
Empty weight:	approx. 3.6 kg	approx. 4.2 kg
CHARACTERISTIC VALUES		
Mains connection:	230 V / 50 Hz	230 V / 50 Hz
Power consumption:	approx. 25 watts	approx. 25 watts
Water tank capacity:	approx. 11 litres	approx. 11 litres
OPERATING DATA		
For room sizes up to:	55 m ²	60 m ²
	130 m ³	140 m ³
Evaporation rate:	900 g/h at 25°C and 20 % rel. humidity	950 g/h at 25°C and 20 % rel. humidity
Running noise:	approx. 34 dBA	approx. 34 dBA

Subject to technical modifications



Typical examples:

- Living areas
- Offices
- Music rooms
- Churches
- Museums
- Galleries
- Wine cellars
- Sales counters
- Humidors
- Libraries
- EDP rooms
- Laboratories
- Copy shops
- Print shops
- etc.



Luftbefeuchtung Proklima GmbH

Schwarzacher Straße 13 • 74858 Aglasterhausen
Germany

Phone: +49 (0) 62 62 / 54 54

Fax: +49 (0) 62 62 / 32 55

E-mail: mail@brune.info

Website: www.brune.info



ZASTUPNIK:

EMA d.o.o.

Martićeva 38/2

10000 Zagreb, Hrvatska

Tel: (385 1) 455 27 07

Fax: (385 1) 455 27 08

E-mail: ema@ema.hr

www.ema.hr